

To become a global leader in intelligent equipment
and a trusted partner in smart manufacturing

做世界智能制造的引領者
成爲全球最值得信賴的合作者



中國·國望集團
CHINA GUOWANG GROUP

國望科技（浙江）股份有限公司
CHINA · GUOWANG GROUP
GUOWANG TECHNOLOGY (ZHEJIANG) CO.,LTD

浙江省平陽縣萬全輕工機械園區
Wanquan Light Industry Machinery Park,
Pingyang County, Zhejiang Province

+86-577-58111111
+86-577-58111077
master@guowang.com

<http://www.guowang.com>

SHANGHAI EUREKA
MACHINERY IMP. & EXP. CO., LTD
RM.1701/1727 TIMES MANSION,
SHANXI RD.(N) 200060 SHANGHAI CHINA

+86-21-62998061 62986517 62999507
+86-21-62985160
Info@eureka-machinery.com

<http://www.eureka-machinery.com>

Aiming at the global production, we lay much emphasis on
"production", "ENVIRONMENT" and "SAFETY", and have received
many approvals, including ISO9001, ISO14001, ISO45001



國望公眾號



國望小程序

HOT FOIL STAMPING AND DIE-CUTTING MACHINE

燙金&模切系列

客户至上

Customer First



用創新思維與無限熱情 開啓更美好的明天

在公司未來的發展藍圖中，我們始終會以創新為引領，以實現跨越式增長為目標，持續加大投入、夯實基礎。我們堅信，科技研發是驅動進步的核心動力，人才是企業立足的根本。努力塑造國望集團“創新、品質、高效、感恩”的品牌精神。

Creating a better future through innovation, dedication, and customer commitment

The company's long-term development strategy focuses on steady growth driven by continuous innovation and sustained investment. We believe technological research and development is the core driving force of progress, while talent forms the foundation of long-term success. Guided by these principles, Guowang is committed to building a brand defined by innovation, quality, efficiency, and trust.



30+ YEARS
GUOWANG GROUP
SINCE 1993

核心價值 Core value

願景 Vision	使命 Mission	價值觀 Values
<p>做世界智能製造的引領者， 成為全球最值得信賴的合作者。</p> <p>To become a global leader in intelligent equipment and a trusted partner in smart manufacturing.</p>	<p>不斷探索與創新， 為客戶創造最大利益。</p> <p>Driving continuous innovation to create maximum value for our customers.</p>	<p>創新、品質、高效、感恩</p> <p>Innovation · Quality · Efficiency · Reliability</p>

INNOVATION, QUALITY EFFICIENCY, RELIABILITY

創新 品質 高效 感恩



國望集團是包裝行業專業的設備與服務提供商

GW focuses on the continuous advancement of intelligent manufacturing technologies for the printing and packaging industry

我們不斷探索與創新為客戶提供印後整體解決方案，創造最大利益

We continuously innovate to provide customers with integrated post-press solutions and maximize production value

CONTINUOUS IMPROVEMENT TO EXCEED EXPECTATIONS

不斷超越 才能贏得更多期待

國望集團
成立于1993年
Founded in 1993

高新技術企業
High Technology Expertise

國望集團
與日本小森KOMORI合作
Collaboration with
KOMORI from Japan



智能工廠
Intelligent Factory

國望智造——以絕對產品
實力和技術創新，智造無限可能
Guowang Intelligent
Manufacturing--Creating boundless
possibilities through exceptional product strength
and technological innovation

重點“小巨人”企業
National “Little Giant”
Enterprise

被認定為省級
高新技術企業研究開發中心
Certified As A Provincial High
Technology Expertise R&d Center



FOIL STAMPING&DIE-CUTTING SERIES

燙金、模切機產品系列



E-系列 | E - SERIES

標準版—以穩定性和經濟性助力高效起點

Standard Model - High stability and cost-effective performance.

C-系列 | C - SERIES

進階版—進階性能滿足主流需求,是精打細算者的理想升級

Advanced Model - Optimized to meet higher performance requirements for mainstream applications.

R-系列 | R - SERIES

匠心版—集成智能技術,以自動化與數據化分析驅動效能革新

Flagship Model - Intelligent innovation driven by automation and data integration.



多樣的選擇

DIVERSE PACKAGING APPLICATIONS



KEY FACTS & FIGURES

數字證明

WIDELY APPLIED
廣泛的應用

創立于
1993
Founded in

KEY FIGURES

100⁺
代理商 (個)
100+ Agents Worldwide

97⁺
服務網點 (個)
Service Network 

全球超過10000個客戶
Over 10,000 customers worldwide
銷售數量超過30000臺
Cumulative sales exceeding 30,000 units



超過100個專利項目
More than
100
patents and patent applications

PATENTS



不止于印刷，更賦能包裝無限價值
Beyond printing, delivering greater value to packaging production.

- 化妝品盒
- 烟盒
- 酒盒
- 禮品盒
- 藥盒
- 更多
- Cosmetics Packaging
- Cigarette Packaging
- Wine Packaging
- Gift Packaging
- Pharmaceutical Packaging
- More

Paper Cutter
切紙裁切機

Foil-Stamping & Die-Cutting Machine
燙金 模切機

Sheeter
卷筒分切機

模切
Die-Cutting 

燙金
Foil-Stamping 

壓紋
Embossing 

擊凸
Debossing 

清廢
Stripping 

3系列
Product Series
for advanced packaging production

E - SERIES

E-系列



基本介紹

專為日常批量生產而設計。E 系列產品以極高的性價比為核心，為您提供穩定可靠的常規燙金模切工藝解決方案。選擇 E 系列產品，就是為您的業務選擇了一位從不懈怠的“經濟型能手”，助您以更小的投入，穩固邁出自動化生產的第一步。

The E-Series is designed for efficient and stable production in conventional foil stamping and die-cutting applications.

With reliable performance and cost-effective configuration, the E-Series provides an ideal entry solution for automated packaging production. It enables converters to achieve higher productivity with minimal investment.



Die-Cutting
模切



Foil-Stamping
燙金



Embossing
壓紋



Stripping
清廢

Efficient Entry-Level Solution
高效起點
自動清廢重壓 / 模切機
Automatic Die-Cutting Machine
with Stripping/Heavy Duty
E106DHQ / E106Q

特性 | KEY FEATURES

- 整機自動潤滑
- 壓力穩定功能
- 雙向氣缸快速鎖板
- 機械側規到位檢測
- 清廢框中心綫對準系統
- 壓力保護功能(重壓)
- 油冷機(重壓)
- Automatic Lubrication System
- Pressure Stabilization System
- Dual-Cylinder Quick Locking System
- Mechanical Side Guide Positioning
- Stripping Frame Centerline Alignment
- Pressure Protection System (Heavy Duty Series)
- Oil Cooling System (Heavy Duty Series)

E106DH / E106

自動重壓 / 模切機
AUTOMATIC HEAVY-DUTY
/ DIE-CUTTING MACHINE



E106DY / E106Y

自動重壓 / 燙金模切機
AUTOMATIC HEAVY-DUTY FOIL
STAMPING & DIE-CUTTING MACHINE



可選配 | OPTIONAL

氣動翻板架
Pneumatic chase
changer



C-SERIES

C-系列



Advanced Upgrade Solution
理想升級

自動重壓 / 燙金機
Automatic Heavy-Duty Foil Stamping Machine

C106DY / C106Y

可選配 OPTIONAL

縱向燙金最多可選配六縱燙金
Vertical Foil-Stamping: Up to 6 Rollers(4-6)



自動收泊機WFR-280配有10.4寸LED觸摸屏自動6軸伺服收箱機
WFR-280 Automatic Foil Winder Equipped with 10.4" Touchscreen Servo-Driven Winding System



基本介紹

C 系列產品是追求更高的生產效率與更廣泛的工藝適應性的理想選擇。它搭載了更精密的伺服控制，能滿足中大批量訂單對效益的嚴苛要求。智能化的預設定功能和一鍵式操作流程，降低了对高級操作員的依賴。助力中型企業提升核心競爭力、實現產能飛躍的“中堅力量”。

The C-Series is designed to deliver higher productivity and enhanced process capability for modern packaging production. With precise servo control and advanced automation, the C-Series meets the demands of medium- and high-volume converting operations.

Its intelligent workflow and one-touch automation simplify production, reduce labor dependency, and improve overall efficiency.



Die-Cutting
模切



Foil-Stamping
燙金



Embossing
壓紋



Stripping
清廢



C106DH / C106

自動重壓 / 模切機
AUTOMATIC HEAVY-DUTY / DIE-CUTTING MACHINE



C106DHQ / C106Q

自動清廢重壓 / 模切機
AUTOMATIC HEAVY-DUTY / DIE-CUTTING MACHINE WITH WASTE STRIPPING

特性 | KEY FEATURES

- 整機自動潤滑
- 壓力穩定功能
- 雙向氣缸快速鎖板
- 機械側規到位檢測
- 清廢框中心綫對準系統
- 壓力保護功能(重壓)
- 油冷機(重壓)
- 輸紙皮帶變速功能
- 電動收紙毛刷
- 電動副收紙
- Automatic Lubrication System
- Pressure Stabilization System
- Dual-Cylinder Locking System
- Mechanical Side Guide Positioning System
- Stripping Frame Centerline Alignment
- Pressure Protection System (Heavy Duty Series)
- Oil Cooling System (Heavy Duty Series)
- Variable-Speed Delivery Belt
- Motorized Delivery Brush System
- Motorized Auxiliary Delivery Unit

R-SERIES

R-系列

基本介紹

這不僅是機器，更是面向未來的智能化生產平臺。R系列產品集成了最頂級的伺服驅動、更完美的生產工序疊加，所代表的卓越、精準與智能，將是您品牌價值和技術實力的最強宣言。

The R-Series represents the next generation of intelligent foil stamping and die-cutting technology. Designed for advanced packaging production, it integrates high-precision engineering with intelligent automation.

The R-Series delivers superior productivity, enhanced process stability, and outstanding performance for high-end packaging applications.



Die-Cutting
模切




Foil-Stamping
燙金




Stripping
清廢

標配 Standard Configuration



清叻口
Gripper Edge
Removal System

標配 Standard Configuration



收紙部分
Delivery Unit
(Optional)



R106Q
自動清廢模切機
AUTOMATIC DIE-CUTTING
MACHINE WITH WASTE STRIPPING

特性 | KEY FEATURES

- 整機自動潤滑
- 壓力穩定功能
- 雙向氣缸快速鎖板
- 機械側規到位檢測
- 清廢框中心綫對準系統
- 壓力保護功能(重壓)
- 油冷機(重壓)
- 輸紙皮帶變速功能
- 電動收紙毛刷
- 電動副收紙
- 清叻口(二次開牙)
- Automatic Lubrication System
- Pressure Stabilization System
- Dual-Cylinder Locking System
- Mechanical Side Guide Positioning System
- Stripping Frame Centerline Alignment
- Pressure Protection System (Heavy Duty Series)
- Oil Cooling System (Heavy Duty Series)
- Variable-Speed Delivery Belt
- Motorized Delivery Brush System
- Motorized Auxiliary Delivery Unit
- Gripper Edge Removal System

Next-Generation
Efficiency
效能革新


自動燙金清廢模切機
Automatic Foil Stamping & Die-Cutting
Machine with Stripping

R106YQ



EQUIPMENT FEATURES

設備功能配置



以絕對產品實力回應用戶期待

未來以最優方式滿足期許

Engineered to exceed customer expectations

訪問網站以了解更多信息
www.guowang.com



1




- 前、後雙屏全功能操作電腦
Front & Rear Dual-Screen Intelligent Control System

2



- 電動副收紙
Motorized Auxiliary Delivery System

3



- 二次開牙清廢輸送部
Gripper Edge Removal Delivery Unit

4



- 電動收紙毛刷
Electric Delivery Brush

5




- 半清廢部分
Stripping Unit

6



- 縱向放箔部套
Vertical Foil Feeding System

7



- 伺服壓力控制系統
Servo Pressure Control System

8



- 板框氣動上下鎖
Pneumatic Frame Locking System

9




- 20溫區燙金系統
20-Temperature-Zone-Control System for Foil Stamping

10



- 高鋼性一體式機架結構
High-Rigidity Integrated Frame Structure

11



- 工業級電器控制單元
Industrial-Grade Electrical Control Unit

12



- 卡瓦兩用輸紙飛達
Dual-Purpose Feeder for Cardboard & Corrugated Board



技術參數 (半清廢) Technical Parameter (Die-cutter with stripper)

型號		C80Q	E106Q	C106Q	R106Q	R130Q
紙張尺寸 Paper Dimensions	mm	300*260 800*600	450*370 1060*740	450*370 1060*740	450*370 1060*760	550*450 1300*950
紙張規格 Paper Specifications		紙板:0.1-3mm 瓦楞紙:≤4mm 白卡紙:90~2000g/m ² Cardboard: 0.1-3mm; Corrugated Paper:≤4mm; White Cardboard : 90-2000g/m ²				
最大模切幅面 Max. Sheet Size(Die-Cutting)	mm	785*585	1045*740	1045*740	1045*745	1285*935
咬口空白範圍 Gripper Margin Range	mm	7-17	7-17	7-17	7-17	7-17
最大模切壓力 Max. Die-Cutting Pressure	t	150	300	300	300	450
最大模切速度 Max. Die-Cutting Speed	s/h	7500	7500	7500	7500	6500
模切精度 Die-Cutting Accuracy	mm	≤±0.075	≤±0.075	≤±0.075	≤±0.075	≤±0.075
輸紙堆高度 (含托盤) Feeder pile height(Incl. Pallet)	mm	1300	1550	1600	1550	1600
收紙堆高度 (含托盤) Delivery pile height(Incl. Pallet)	mm	1050	1350	1350	1400	1350
模切版框內尺寸 Internal Dimensions Of Die-Frame	mm	840*620	1100*770	1100*770	1100*770	1340*960
主電機功率 Main Motor Power	kw	7.5	11	11	11	15
整機功率 Total Installed Power	kw	13	20	17	17	26
氣源要求 Air Source Requirements	bar; L/min	6-8; 180	6-8; 200	6-8; 200	6-8; 200	6-8; 220
總重 (含腳踏板) Total Weight(Incl. Foot Pedal)	t	13	18.5	18.5	18.5	30
外觀尺寸 (含腳踏板) Machine Dimensions(Incl. Foot Pedal)	mm	5510*3620*2150	6190*4120*2330	6045*4250*2430	6045*4250*2430	7280*4680*2460

技術參數 (單模切) Technical Parameter (Die-cutter)

型號		C80	E106	C106	R130	
紙張尺寸 Paper Dimensions	mm	300*260 800*600	450*370 1060*740	450*370 1060*740	550*450 1300*950	
紙張規格 Paper Specifications		紙板:0.1-3mm 瓦楞紙:≤4mm 白卡紙:90~2000g/m ² Cardboard: 0.1-3mm; Corrugated Paper:≤4mm; White Cardboard : 90-2000g/m ²				
最大模切幅面 Max. Sheet Size(Die-Cutting)	mm	785*585	1045*740	1045*740	1285*935	
咬口空白範圍 Gripper Margin Range	mm	7-17	7-17	7-17	7-17	
最大模切壓力 Max. Die-Cutting Pressure	t	150	300	300	450	
最大模切速度 Max. Die-Cutting Speed	s/h	7500	7500	7500	6500	
模切精度 Die-Cutting Accuracy	mm	≤±0.075	≤±0.075	≤±0.075	≤±0.075	
輸紙堆高度 (含托盤) Feeder pile height(Incl. Pallet)	mm	1300	1550	1600	1600	
收紙堆高度 (含托盤) Delivery pile height(Incl. Pallet)	mm	1050	1350	1350	1350	
模切版框內尺寸 Internal Dimensions Of Die-Frame	mm	840*620	1100*770	1100*770	1340*960	
主電機功率 Main Motor Power	kw	7.5	11	11	15	
整機功率 Total Installed Power	kw	13	20	17	26	
氣源要求 Air Source Requirements	bar; L/min	6-8; 180	6-8; 200	6-8; 200	6-8; 220	
總重 (含腳踏板) Total Weight(Incl. Foot Pedal)	t	11.8	17	17	27	
外觀尺寸 (含腳踏板) Machine Dimensions(Incl. Foot Pedal)	mm	4595*3620*2150	5200*4120*2330	5055*4250*2430	6100*4680*2460	

公司有權保留對機器技術參數的修改，以實際配置為準。

The company reserves the right to modify the technical parameters of the machine based on the actual configuration.

技術參數 (重壓) Technical Parameter (Heavy Duty)

型號		C106D/E106D	C106DH/E106DH	C106DHQ/E106DHQ
紙張尺寸 Paper Dimensions	mm	450*370 1060*740	360*360 1060*740	360*360 1060*740
紙張規格 Paper Specifications		紙板:0.1-3mm 瓦楞紙:≤4mm 白卡紙:90~2000g/m ² Cardboard: 0.1-3mm; Corrugated Paper:≤4mm;White Cardboard : 90-2000g/m ²		
最大模切幅面 Max. Sheet Size(Die-Cutting)	mm	1045*745	1045*745	1045*745
咬口空白範圍 Gripper Margin Range	mm	7-17	7-17	7-17
最大模切壓力 Max. Die-Cutting Pressure	t	550	550	550
最大模切速度 Max. Die-Cutting Speed	s/h	6000	6000	6000
模切精度 Die-Cutting Accuracy	mm	≤±0.075	≤±0.075	≤±0.075
輸紙堆高度 (含托盤) Feeder Pile Height(Incl. Pallet)	mm	1600	1600	1600
收紙堆高度 (含托盤) Delivery Pile Height(Incl. Pallet)	mm	1350	1350	1350
加熱區域 Heating Zones		6溫區，加熱溫度20–120℃ 6 Zones, Temperature: 20-120℃		
模切版框內尺寸 Internal Dimensions Of Die-Frame	mm	1100*770	1100*770	1100*770
主電機功率 Main Motor Power	kw	15	15	15
整機功率 Total Installed Power	kw	23	35	35
氣源要求 Air Source Requirements	bar; L/min	6-8 ; 200	6-8 ; 200	6-8 ; 200
總重 (含腳踏板) Total Weight(Incl.foot Pedal)	t	21	21	22
外觀尺寸 (含腳踏板) Machine Dimensions(Incl. Foot Pedal)	mm	5055*4250*2430	5197*4250*2430	5197*4250*2430

公司有權保留對機器技術參數的修改，以實際配置為準。

The company reserves the right to modify the technical parameters of the machine based on the actual configuration.

技術參數 (燙金) Technical Parameter (Foil Stamping)

型號		C80Y	E106Y/E106DY	C106Y/C106DY	R130Y
紙張尺寸 Paper Dimensions	mm	300*260 800*600	450*370 1060*740	450*370 1060*740	550*450 1300*950
紙張規格 Paper Specifications		紙板:0.1-3mm 瓦楞紙:≤4mm 白卡紙:90~2000g/m ² Cardboard: 0.1-3mm; Corrugated Paper:≤4mm;White Cardboard : 90-2000g/m ²			
最大模切幅面 Max. Sheet Size(Die-Cutting)	mm	785*585	1045*745	1045*745	1285*935
最大燙金幅面 Max. Sheet Size(Foil-Stamping)	mm	760*580	1040*740	1040*740	1260*920
咬口空白範圍 Gripper Margin Range	mm	7-17	7-17	7-17	7-17
最大模切壓力 Max. Die-Cutting Pressure	t	150	320/550	320/550	450
最大模切速度 Max. Die-Cutting Speed	s/h	7500	7500/6000	7500/6000	6500
最大燙金速度 Max. Foil-Stamping Speed	s/h	6500	6500/6000	6500/6000	5000
最大全息及鐳射燙印速度 Max. Hologram / Laser Stamping Speed	s/h	5500	5500	5500	4000
最大金箔直徑 Max. Stamping Foil Diameter	mm	Φ250	Φ250	Φ250	Φ300
金箔寬度 Width Range Of Stamping Foil	mm	15-790	20-1060	20-1060	20-1060
模切精度 Die-cutting Accuracy	mm	≤±0.075	≤±0.075	≤±0.075	≤±0.075
普通燙精度 Stamping Accuracy(Standard Foil)	mm	≤±0.075	≤±0.075	≤±0.075	≤±0.075
全息定位燙精度 Stamping Accuracy(Registered Holographic Foil)	mm	≤±0.20	≤±0.20	≤±0.20	≤±0.20
重復套準精度 Registration Accuracy	mm	≤±0.10	≤±0.10	≤±0.10	≤±0.10
輸紙堆高度 (含托盤) Feeder Pile Height(Incl. Pallet)	mm	1300	1600	1600	1600
收紙堆高度 (含托盤) Delivery Pile Height(Incl. Pallet)	mm	1050	1350	1350	1350
加熱區域 Heating Zones		12個加溫區， 加熱溫度20–200℃ 12 Zones Temperature: 20-200℃	20個加溫區， 加熱溫度20–200℃ 20 Zones Temperature: 20-200℃	20個加溫區， 加熱溫度20–200℃ 20 Zones Temperature: 20-200℃	20個加溫區， 加熱溫度20–200℃ 20 Zones Temperature: 20-200℃
模切版框內尺寸 Internal Dimensions Of Die-Frame	mm	840*620	1100*770	1100*770	1340*960
主電機功率 Main Motor Power	kw	7.5	11/15	11/15	15
整機功率 Total Installed Power	kw	35	46/63	46/63	69
氣源要求 Air Source Requirements	bar; L/min	6-8 ; 550	6-8;600	6-8;600	6-8 ; 650
總重 (含腳踏板) Total Weight(Incl.foot Pedal)	t	14	20.5/23	20.5/23	30
外觀尺寸 (含腳踏板) Machine Dimensions(Incl. Foot Pedal)	mm	5510*3760*2350	6264*4350*2580	6264*4350*2580	7280*4680*2460

公司有權保留對機器技術參數的修改，以實際配置為準。

The company reserves the right to modify the technical parameters of the machine based on the actual configuration.

SUPPORT SERVICE

支持與服務



Collaboration

 中國·國望集團
CHINA·GUOWANG GROUP

國望在全球範圍內將為您提供一流水準的產品和服務，保證售前、售中、售后質量統一的一站式服務。您可以通過電話、郵件、上門等任何形式的聯系方式，獲得支持與服務——國望堅持以客戶為導向、提供最快的服務響應。

Guowang delivers high-quality equipment and professional services worldwide, providing comprehensive support across pre-sales, sales, and after-sales stages. Customers can contact us via phone, email, or on-site service to receive timely technical assistance. With a customer-focused approach, Guowang is committed to fast response and reliable service.



我們為您提供以下售前諮詢服務：

1. 針對您目前的現狀提供適當的建議和支持；
2. 針對您感興趣的產品進行詳細介紹并提出相應方案；
3. 針對您的需求提供定制服務。



We offer the following pre-sales consultation services:

1. Professional advice and technical support based on your current production requirements;
2. Detailed product introductions with customized configuration proposals;
3. Tailored solutions designed to meet your specific application needs.



售前諮詢

作為您最好的合作夥伴，我們會盡力幫您更加成功。無論是技術升級還是產品優化，我們義不容辭。

PRE-SALES CONSULTATION

As a trusted partner, we support your success with professional pre-sales consultation. From application analysis to product selection and configuration, we help optimize your production efficiency.



售後服務

快速，高效，精準

SERVICE

Fast response, efficient execution, and accurate solutions



零配件

完備的庫存從接到您的需求到派送，國望會以最快速度的完成。

PARTS

Well-stocked inventory ensures fast availability of spare parts. From order processing to delivery, we support efficient maintenance and reduced downtime.



技術支持

我們會不定期的為您發送設備使用技巧，保養事項等有用信息。

TECHNICAL SUPPORT

Providing professional technical support, including operation guidance, maintenance recommendations, and continuous application updates.



全國銷售熱綫

Domestic sales hotline

+86 577-58 111 111

國外銷售熱綫

International sales hotline

+86 021-62 999 507

售後服務熱綫

After-sales hotline

400-180-6866

郵箱
E-mail

master@guowang.com



訪問網站以了解更多信息

www.guowang.com



國望公眾號



國望小程序